

## 1

## Visibility of system status

The system should always keep users informed about what is going on, through appropriate feedback within reasonable time.

#	Checklist	Yes	No	N/A	Suggestions
1.1	Is the terminology of the menu items user-friendly?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.2	If the system processes a request for more than 3 seconds, is the loader displayed & is there a hint of how much time the processing will take?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	** There is a loader but processing time is not shown
1.3	Does every screen start with a title that describes the page content?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	There should be a title on top of every page which tells the user which page they're on.
1.4	If a user can select multiple options, does the system show which options are already chosen?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.5	Is it clear which page a user is on?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	There should be a title on top of every page which tells the user which page they're on.
1.6	Do the icons indicate the status of the page?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
1.7	If the user selects or changes the order of objects, does the system reflect the changes?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
1.8	Are clickable elements highlighted in the hover state?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Clickable items should be in hover state.
1.9	If the system is loading for more than two seconds, is the loader shown?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

## 2

## Match between system and the real world

The system should speak the users' language, with words, phrases and concepts familiar to the user, rather than system-oriented terms. Follow real-world conventions, making information appear in a natural and logical order.

#	Checklist	Yes	No	N/A	Suggestions
2.1	Is the system designed with users' habits in mind?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.2	Is navigation located in the familiar for users place: at the top or sidebar?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.3	Does the system speak users' language with familiar words, phrases, and concepts rather than system-oriented terms?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.4	Are all questions, if they refer to users, concise and unambiguous?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.5	Do metaphors unambiguously reveal their meaning?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
2.6	Do icons clearly represent their meaning (e.g. is search icon represented by a magnifying glass?)?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.7	Do hints help users perform an action?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2.8	Are all abbreviations and acronyms explained (e.x. 4AD*)?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
2.9	Does the system do some part of work for users: offers ready currency signs, country mobile codes, division of numbers into threes (9,999,999)?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

## 3 User control and freedom

Users often choose system functions by mistake and will need a clearly marked "emergency exit" to leave the unwanted state without having to go through an extended dialogue. Support undo and redo.

#	Checklist	Yes	No	N/A	Suggestions
3.1	When users complete an action, does the system skip unnecessary steps like 'submit' or 'apply'?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
3.2	Can users delete their account?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	** not clear
3.3	Is there a cancellation feature if it's needed?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.4	It is possible to cancel the process?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.5	Can users edit their personal information?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3.6	Does the page have breadcrumbs to provide navigation for multilevel processes?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Page should have a progress bar at the top (users should know how many steps they've completed and what more they have to do in booking).
3.7	Can users overcome any system issues?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
3.8	Can users make a backup of a current version?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

## 4 Consistency and standards

Users should not have to wonder whether different words, situations, or actions mean the same thing. Follow platform conventions.

#	Checklist	Yes	No	N/A	Suggestions
5.1	Is the page navigation similar to the navigation on other pages?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.2	Are the main navigation items always available and not hidden behind the menu button?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.3	Is all information users need at a particular point visually? (users don't need to memorize)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.4	Is the logo in the header displayed on every page and leads to the main page?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.5	Does the menu contain sub-items that are visually clear?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Should include a menu.
5.6	Is the field title always available?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.7	Are the icons intuitive? (e.g. the search icon looks like a magnifying glass)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.8	Are the menu items non-generic? (don't include common titles, e.g. 'catalogue' or 'goods')	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
5.9	Do icons have captions?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
5.10	Are the links recognizable?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Links should be recognisable (it should be easily understood that they're clickable).

adamfard

Heuristic Evaluation Checklist

## 5 Error prevention

Even better than good error messages is a careful design which prevents a problem from occurring in the first place. Either eliminate error-prone conditions or check for them and present users with a confirmation option before they commit to the action.

#	Checklist	Yes	No	N/A	Suggestions
4.1	For complex fields (password, username), does validation take place in real-time?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.2	Can users see the limit of characters that can be entered into the field?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.3	Are the fields case-sensitive (when applicable)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.4	Do the fields contain default values (when applicable)?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.5	In the forms with 2+ fields, do the button remain inactive until users fill in all of the fields?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.6	Is the validity of the field checked upon completion of the entry? (not at the time of filling and not by pressing a button)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.7	Is the name of the field always visible (in the filled state as well)?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Name of the field should be visible (in the filled state as well) so that the customer should know which field it was.
4.8	Are users able to preview changes if reverting them takes a long time?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
4.9	Do error message indicate the corresponding error field?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4.10	Is the input of incorrect data type in the field blocked (e.g. typing numbers in the name input field)?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	

adamfard

Heuristic Evaluation Checklist

## 6 Recognition rather than recall

Minimize the user's memory load by making objects, actions, and options visible. The user should not have to remember information from one part of the dialogue to another. Instructions for use of the system should be visible or easily retrievable whenever appropriate.

#	Checklist	Yes	No	N/A	Suggestions
6.1	Do you have industry or company formatting standards that are followed consistently everywhere?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
6.2	Do the system or a product never confuse the users by using different words, actions, design, or situations to derive the same meaning?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
6.3	Does the component placement (home icon, cart icon, search bar etc.) follow the users' mental model & patterns familiar to the users?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Include home icon and cart icon.
6.4	Is the size & color of components consistent (buttons for example) throughout the product?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

## 7 Flexibility and efficiency of use

Accelerators — unseen by the novice user — may often speed up the interaction for the expert user such that the system can cater to both inexperienced and experienced users. Allow users to tailor frequent actions.

#	Checklist	Yes	No	N/A	Suggestions
7.1	Does the system allow experts to use shortcuts or customize them?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	There should be shortcuts for users who have already done login (eg. Past bookings).
7.2	Does the system allow power-users to chain together multiple actions that can be automatically triggered?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
7.3	Does the system allow users to approach tasks in multiple ways to suit their working style?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
7.4	Can experienced users take advantage of accelerators and other secondary features designed to speed up commonly performed actions?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Users should be able to store some details like Id cards, etc in their account so that at the time of next booking, they do not have to again upload those documents
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

## 8 Aesthetic and minimalist design

Dialogues should not contain information which is irrelevant or rarely needed. Every extra unit of information in a dialogue competes with the relevant units of information and diminishes their relative visibility.

#	Checklist	Yes	No	N/A	Suggestions
8.1	Is the information, essential to decision making, displayed on the screen?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
8.2	Is the "signal" maximized and the "noise" limited?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
8.3	Are universal visual patterns that carry positive connotations used throughout the page?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

# 9

## Help users recognize, diagnose, and recover from errors

Error messages should be expressed in plain language (no codes), precisely indicate the problem, and constructively suggest a solution.

#	Checklist	Yes	No	N/A	Suggestions
9.1	When an error is found, is the required field highlighted and the cursor is placed there?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	In case of an error, the required field should be highlighted and a cursor should be placed there.
9.2	Do the tips stay away from user criticism?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
9.3	When the button is not active, is there a hint why?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	When the button is inactive, there should be a hint why (preferably when we hover on it).
9.4	Do the error pages 404 and 503 tell the user what to do next?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Error 404 page should tell the user what to do next (like go to the main menu or homepage).
9.5	Are all errors written in the same style and tone of voice?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
9.6	Does the text of the error communicate the possible cause and the following actions? (if the user cannot correct the error, e.g.: "We are updating the server. Try in 2 hours")	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

adamfard

Heuristic Evaluation Checklist

# 10

## Help and documentation

Even though it is better if the system can be used without documentation, it may be necessary to provide help and documentation. Any such information should be easy to search, focused on the user's task, list concrete steps to be carried out, and not be too large.

#	Checklist	Yes	No	N/A	Suggestions
10.1	Can users skip or start onboarding from the beginning?	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
10.2	Is there a live chat on every page of the site or application?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	(Optional) can include live chat on every page.
10.3	Is the FAQ page user-friendly, i.e. divided into categories and searchable?	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	FAQ should be divided into categories.
10.4	Can users resume work where they have left off after receiving help? (e.g. the help page opens in a new tab)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
10.5	Do important explanations remain displayed on the screen as long as the user needs them? The user shouldn't write down explanations anywhere.	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
10.6	In case users can't find the answer to their question, is there an option to ask a new question? (or else there should be hotline contacts, email, etc.)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
10.7	Before performing potentially dangerous actions (e.x. deleting files), does the system ask for user's confirmation and explains the consequences of deletion (for non-recoverable data)?	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	

adamfard

Heuristic Evaluation Checklist